

## Implementing Integrated Soilless Agriculture



**What is soilless agriculture?** Hydroponics, or soilless cultivation, is a technique for growing plants using nutrient-rich water instead of traditional soil. The following are three pillars essential for successful hydroponic cultivation.

### Greenhouse Design

- Multi-span structures with glass /plastic film covering
- Multi-span structures with insect proof mesh
- Modular structure house

### Consideration for Viability

- Cultivation method suitability
- Local Climate familiarity
- Leafy vegetables growing needs

### Crop Selection

- Identifying consumer interest or in-demand vegetable
- Considering price points and profitability
- Select seed supplier and cultivar

## Greenhouse Design

A modern greenhouse operates as an integrated system, often referred to as Controlled Environment Agriculture (CEA), Controlled Environment Plant Production System (CEPPS), or Integrated Urban Controlled Environment Agriculture. These systems are designed for optimal plant cultivation, with seamless integration driving productivity in high-tech controlled environments. Ecosystems are vital in modern farming, boosting productivity, managing pests, and improving crop quality. Their careful selection impacts both farm economics and environmental sustainability. The following are the major components of an effective CEA system:

### Greenhouse Structure GS

#### Structure components:

- ❖ Flexible and scalable solutions for controlled environment
- ❖ Climate control fans
- ❖ Automated solar screen with integrated supplemental lighting systems

### Growing System GS

#### Basic concept:

- ❖ Plant roots are suspended directly in nutrient-rich water
- ❖ Net pots, polyurethane (PU) foam or containers to hold plants
- ❖ Closed loop system (continuous process of cycling resources the same water and nutrients)

### Nutrient Delivery System NDS

#### System components:

- ❖ Sump tank, water source and self-filling water top-up system
- ❖ Smart nutrient monitoring (e.g. EC and pH) for adjustments
- ❖ Irrigation line, valves, filters and pressure regulators
- ❖ Soluble fertilizers

## CEA Infrastructure and Systems


- Supporting foundation, shape, and framing materials
- Climate control sensors
- Irrigation system for delivering nutrients and farming equipment
- Rooftop transparent materials
- Perforated side screen
- Solar screen (Shading curtain)



Poly Greenhouse



Framing



Solar Screen/ Ventilation fans



Crop nutrient monitoring (EC/Temp/ pH sensors)



Production system - Deep Water culture (DWC)



Perforated side netting as pest barrier



Lux-responsive shading system




Smart fertiliser dispensing and self-filling water top up system

## Climate Adaptation for Soilless Farming


Climate change impacts, particularly rising temperatures, challenge soilless cultivation of Asian greens in Singapore. Active greenhouse climate control is crucial to mitigate **Heat Stress**, which can significantly impair leafy vegetable growth, yield, and quality.

### Greenhouse climate factors, difference between greenhouse and external climate



### Major Symptoms Caused by Heat Stress

Improper climate conditions in the greenhouse can significantly impair plant growth and development, leading to compromised plant health and substantially reduced crop yields. For example, extended periods of high ambient temperatures (35-40°C) increase water temperature and impact root growth. Warmer water (29-32°C) decreases oxygen availability (to 2-3 mg/L), leading to poor root growth. An oxygen level of 6 to 8 mg/L is often considered optimal for most plants. Heat-sensitive Asian greens include Choy Sum, Bok Choy, Amaranthus, Gai-Lan, and various lettuces varieties.



### Strategies for Alleviating Heat Stress

#### Recommendations to mitigate heat stress:

1. Optimise cooling systems
2. Improve air circulation
3. Determining ideal plant-to-plant distance
4. Use reflective black shading material for shading

**Evaporative Cooling Pad.**  
Wet wall or pad-and-fan systems to reduce greenhouse temperature



**Shading & Ventilation.**  
30-50% shading and 0.5 to 1 m/s air velocity recommended for most Asian greens



**Optimal Spacing.**  
15-20 cm spacing between plants to reduce microclimate temperature.



## Select Variety for Market Demand

### Why Asian Green?

Adaptability	Cultural preferences	Economic factors	Climate suitability
<ul style="list-style-type: none"> <li>✓ Fast-growing to various growing condition</li> <li>✓ Suitable for urban farming</li> </ul>	<ul style="list-style-type: none"> <li>✓ Asian cuisine rely on these vegetables</li> <li>✓ Favoured consumed vegetables locally</li> </ul>	<ul style="list-style-type: none"> <li>✓ Local production can be more cost-effective than importing</li> <li>✓ Supports local farmers and agricultural businesses</li> </ul>	<ul style="list-style-type: none"> <li>✓ Enhances self-sufficiency in vital vegetable production when crises occur</li> <li>✓ Helps maintain a stable local food supply</li> </ul>

Many Asian Greens have short growing cycles and thrive in greenhouse environment



Amaranthus



Gai-Lan



Kangkong



Leaf Mustard



Xiaobacai



Cai-Xin



Nai-Bai



Chinese Cabbage

## Greenhouse Growing Systems Commonly Used for Asian Greens in Singapore

### Soilless Culture



Mobile Gully System



Deep Water System



Overhead Fertigation System



Soil-based Drip System



Soil-based Sprinklers System



Find out more!

Local farms can tap on the Agri-Cluster Transformation (ACT) Fund with the enhanced Energy Efficiency Programme (EEP) to build capabilities and capacities that drive higher productivity in a sustainable and resource-efficient manner. Farms can tap on co-funding under the EEP to undergo an energy efficiency audit which would establish their baseline energy consumption and identify potential areas for improvements. Farms can also leverage the enhanced Capability Upgrading component to adopt resource and energy-efficient equipment and technologies from SFA's prequalified list. All licensed farms can apply for co-funding under the EEP.

### Let us know your thoughts



#### About the Author

Mohd Suhaime, is knowledgeable in hydroponic farming with over four decades of expertise, is a member of the Agri-Technology and Food Innovation Department. His portfolio includes contributing the "Singapore Urban Farming Project", a collaborative smart farming initiative, and implementing a Soilless Strawberry Cultivation project with Pokka Singapore. Additionally, Suhaime provides technical guidance to the local farming community.

#### Reference:

1. Zhao, X., 2022 Morphological and Physiological Response Mechanism of Lettuce (*Lactuca Sativa* L.) to Consecutive Heat Stress. *Scientia Horticulturae*. <https://www.sciencedirect.com/journal/scientia-horticulturae>
2. Maludin, A.J., Lum, M.S., Mohd Lassim, M. and Gobilik, J., 2020. Optimal plant density, nutrient concentration and rootzone temp [https://www.researchgate.net/publication/349103171\\_Optimal\\_Plant\\_Density\\_Nutrient\\_Concentration\\_and\\_Rootzone\\_Temperature\\_for\\_Higher\\_Growth\\_and\\_Yield\\_of\\_Brassica\\_rapa\\_L\\_'Curly\\_Dwarf\\_Pak\\_Choi'\\_in\\_Raft\\_Hydroponic\\_System\\_Under\\_Tropical\\_Climate](https://www.researchgate.net/publication/349103171_Optimal_Plant_Density_Nutrient_Concentration_and_Rootzone_Temperature_for_Higher_Growth_and_Yield_of_Brassica_rapa_L_'Curly_Dwarf_Pak_Choi'_in_Raft_Hydroponic_System_Under_Tropical_Climate)
3. Kozai, T., Kubota, C. and Kitaya, Y., 1997, February. Greenhouse technology for saving the earth in the 21st century. In *Plant Production in Closed Ecosystems: The International Symposium on Plant Production in Closed Ecosystems held in Narita, Japan, August 26-29, 1996* (pp. 139-152).
4. Kourani, M., Mohareb, F., Rezwani, F. I., Anastasiadi, M., & Hammond, J. P. (2022). Genetic and Physiological Responses to Heat Stress in *Brassica napus*. *Frontiers in plant science*, 13, 832147. <https://doi.org/10.3389/fpls.2022.832147>